Council Grove Recreation Center Cleaning Check List

(Cleaning supplies and trash bags are located in the maint. room between men's restroom and classroom)

	Gym/Hall
	All tables must be wiped down, tables and chairs must be placed on carts
	and moved to south bay area
	All trash removed (dumpster located SE corner of Rec Center)
	All tape and decorations must removed from ceiling and walls
	Floor swept
	Floor spot mopped (if spills occur)
	Bathrooms
	Trash removed (dumpster located SE corner of Rec Center)
	Countertops wiped down (sinks cleaned)
	All toilets flushed and clean (Including shower areas)
	Floor Swept
	Floor spot mopped (if spills occur)
	Kitchen
	Trash removed (dumpster located SE corner of Rec Center)
	Countertops wiped down (sinks cleaned)
	Floor Swept
	Floor spot mopped (if spills occur)
П	Classroom Trash removed (dumpster located SE corner of Rec Center)

By signing below the renter shall agree to perform the above "cleaning checklist" as well as be responsible for any damages done to the facility. If the checklist is not completed as "clean" or any	Tables and chairs moved back to original locations
Trash removed (dumpster located SE corner of Rec Center) Rugs vacuumed Floor Swept Floor spot mopped (if spills occur) Parking Area Trash removed (dumpster located SE corner of Rec Center) Overall Facility All interior and exterior doors closed and secured All lights turned off (security lights remain on in kitchen) West entry gate closed and secured East Entry doors "NO PARKING" Keys returned to City Recreation Director next business day Thermostats returned original set temperatures: Gym 60F Kitchen (60F Winter 75F summer) Classroom (70F winter 75F summer By signing below the renter shall agree to perform the above "cleaning checklist" as well as be responsible for any damages have occured the renters \$100 cleaning deposit will not be refunded. If cleaning and damages exceed \$100 the renter shall be responsible for these costs of repair to the facility.	Floor vacuumed stains removed
Floor Swept Floor spot mopped (if spills occur) Parking Area Trash removed (dumpster located SE corner of Rec Center) Overall Facility All interior and exterior doors closed and secured All lights turned off (security lights remain on in kitchen) West entry gate closed and secured East Entry doors "NO PARKING" Keys returned to City Recreation Director next business day Thermostats returned original set temperatures: Gym 60F Kitchen (60F Winter 75F summer) Classroom (70F winter 75F summer By signing below the renter shall agree to perform the above "cleaning checklist" as well as be responsible for any damages done to the facility. If the checklist is not completed as "clean" or any damages have occured the renters \$100 cleaning deposit will not be refunded. If cleaning and damages exceed \$100 the renter shall be responsible for these costs of repair to the facility.	
Floor spot mopped (if spills occur) Parking Area Trash removed (dumpster located SE corner of Rec Center) Overall Facility All interior and exterior doors closed and secured All lights turned off (security lights remain on in kitchen) West entry gate closed and secured East Entry doors "NO PARKING" Keys returned to City Recreation Director next business day Thermostats returned original set temperatures: Gym 60F Kitchen (60F Winter 75F summer) Classroom (70F winter 75F summer) By signing below the renter shall agree to perform the above "cleaning checklist" as well as be responsible for any damages done to the facility. If the checklist is not completed as "clean" or any damages have occured the renters \$100 cleaning deposit will not be refunded. If cleaning and damages exceed \$100 the renter shall be responsible for these costs of repair to the facility.	Rugs vacuumed
Parking Area Trash removed (dumpster located SE corner of Rec Center) Overall Facility All interior and exterior doors closed and secured All lights turned off (security lights remain on in kitchen) West entry gate closed and secured East Entry doors "NO PARKING" Keys returned to City Recreation Director next business day Thermostats returned original set temperatures: Gym 60F Kitchen (60F Winter 75F summer) Classroom (70F winter 75F summer By signing below the renter shall agree to perform the above "cleaning checklist" as well as be responsible for any damages done to the facility. If the checklist is not completed as "clean" or any damages have occured the renters \$100 cleaning deposit will not be refunded. If cleaning and damages exceed \$100 the renter shall be responsible for these costs of repair to the facility.	Floor Swept
Trash removed (dumpster located SE corner of Rec Center) Overall Facility All interior and exterior doors closed and secured All lights turned off (security lights remain on in kitchen) West entry gate closed and secured East Entry doors "NO PARKING" Keys returned to City Recreation Director next business day Thermostats returned original set temperatures: Gym 60F Kitchen (60F Winter 75F summer) Classroom (70F winter 75F summer By signing below the renter shall agree to perform the above "cleaning checklist" as well as be responsible for any damages done to the facility. If the checklist is not completed as "clean" or any damages have occured the renters \$100 cleaning deposit will not be refunded. If cleaning and damages exceed \$100 the renter shall be responsible for these costs of repair to the facility.	Floor spot mopped (if spills occur)
All lights turned off (security lights remain on in kitchen) West entry gate closed and secured East Entry doors "NO PARKING" Keys returned to City Recreation Director next business day Thermostats returned original set temperatures: Gym 60F Kitchen (60F Winter 75F summer) Classroom (70F winter 75F summer By signing below the renter shall agree to perform the above "cleaning checklist" as well as be responsible for any damages done to the facility. If the checklist is not completed as "clean" or any damages have occured the renters \$100 cleaning deposit will not be refunded. If cleaning and damages exceed \$100 the renter shall be responsible for these costs of repair to the facility.	
West entry gate closed and secured East Entry doors "NO PARKING" Keys returned to City Recreation Director next business day Thermostats returned original set temperatures: Gym 60F Kitchen (60F Winter 75F summer) Classroom (70F winter 75F summer By signing below the renter shall agree to perform the above "cleaning checklist" as well as be responsible for any damages done to the facility. If the checklist is not completed as "clean" or any damages have occured the renters \$100 cleaning deposit will not be refunded. If cleaning and damages exceed \$100 the renter shall be responsible for these costs of repair to the facility.	
Keys returned to City Recreation Director next business day Thermostats returned original set temperatures: Gym 60F Kitchen (60F Winter 75F summer) Classroom (70F winter 75F summer By signing below the renter shall agree to perform the above "cleaning checklist" as well as be responsible for any damages done to the facility. If the checklist is not completed as "clean" or any damages have occured the renters \$100 cleaning deposit will not be refunded. If cleaning and damages exceed \$100 the renter shall be responsible for these costs of repair to the facility.	All lights turned off (security lights remain on in kitchen)
Thermostats returned original set temperatures: Gym 60F Kitchen (60F Winter 75F summer) Classroom (70F winter 75F summer By signing below the renter shall agree to perform the above "cleaning checklist" as well as be responsible for any damages done to the facility. If the checklist is not completed as "clean" or any damages have occured the renters \$100 cleaning deposit will not be refunded. If cleaning and damages exceed \$100 the renter shall be responsible for these costs of repair to the facility.	West entry gate closed and secured East Entry doors "NO PARKING"
Kitchen (60F Winter 75F summer) Classroom (70F winter 75F summer By signing below the renter shall agree to perform the above "cleaning checklist" as well as be responsible for any damages done to the facility. If the checklist is not completed as "clean" or any damages have occured the renters \$100 cleaning deposit will not be refunded. If cleaning and damages exceed \$100 the renter shall be responsible for these costs of repair to the facility.	Keys returned to City Recreation Director next business day
By signing below the renter shall agree to perform the above "cleaning checklist" as well as be responsible for any damages done to the facility. If the checklist is not completed as "clean" or any damages have occured the renters \$100 cleaning deposit will not be refunded. If cleaning and damages exceed \$100 the renter shall be responsible for these costs of repair to the facility.	Thermostats returned original set temperatures: Gym 60F
	responsible for any damages done to the facility. If the checklist is not completed as "clean" or any damages have occured the renters \$100 cleaning deposit will not be refunded. If cleaning and damages exceed \$100 the renter shall be responsible for these costs of repair to the facility.